


SECUNORM 175
SMALL FORM, BIG PERFORMER.



ENJOY SAFETY
MADE IN SOLINGEN

martor

SECUNORM 175

NO. 175001



Original size



4-cutting edge blade

Why do you benefit more from your blade? Because it has two blades with four sharp edges. By turning and turning it over, you quadruple the usage time - and always cut again like new.




Ergonomic handle

MARTOR would like to make your work easier for you - e.g. through well thought out ergonomics. So the handle is shaped to fit your hand and pleasantly rounded off at the end. The grooves improve your grip on the slider.



Easy blade change

We have improved the blade change once again: Just press the blade change head down and pull to open the handle. The slider automatically folds up and the blade is ready for changing.



Slider on both sides

The SECUNORM 175 is user friendly in the best sense of the word. This also applies to the question of whether it is suitable for right or left handed people. There's a clear answer to that: For both. That's why it has a slider on both sides.



Practical eyelet

A cutting tool like the SECUNORM 175 actually fits into every pocket. It really does. And to make it even more available, you can also pull a strap through the eyelet. And hang it around your wrist, for example.

An amazing amount of comfort in this class.

Those who like to use the SECUNORM HANDYCUT will definitely be convinced by the new SECUNORM 175. The SECUNORM 175 is the legitimate successor to the popular small cardboard box cutter. Because now you can experience all that is good in an even better way: through the particularly easy blade change, for example, the ergonomic handle and the fresh design. And surely, in addition we don't have to emphasise that the SECUNORM 175 is also a versatile cutting tool.

PRODUCT FEATURES

Technical features

	Automatic blade retraction		Tool-less blade change
	Abrasion resistant		Very ergonomic
	Extended blade length 13		Cutting depth 10
	Lanyard hole		Right-and-left hander knife
	Printable for promotional purposes LOGO		

Main cutting materials

	Cardboard: up to 2-ply		Wrapping, stretch, and shrink foil
	Plastic strapping band		Tape
	Yarn, cord		

Installed blade

	NO. 45	0.30 mm
--	---------------	---------


Optional blade

	NO. 145	0.30 mm, stainless
--	----------------	--------------------


Certificates and Awards



Usage



Safety technology



Automatic blade retraction - a high degree of safety

The automatic blade retraction of the SECUNORM 175 ensures a high degree of safety from cut injuries. As soon as you have started cutting, take your thumbs off the slider. And the blade will immediately retract into the handle after leaving the material being cut.

YOU CAN FEEL THE QUALITY.

SECUNORM 175

- › Ergonomic and effective
- › Automatic blade retraction
- › Ergonomic handle
- › 1 blade, four cutting edges
- › TÜV certified

PRODUCT DETAILS

Order No.	NO. 175001.02
Packaging unit	1 in single unit box (20 in multipack)
Size knife (L x W x H)	109.5 x 13.5 x 34 mm
Main material	Glass fiber reinforced plastic
Weight	30.8 g
Cutting depth	10 mm
Spare blade	NO. 45.60
Packaging unit	10 in transparent pack
Size (L x W x Thickness)	39 x 18.4 x 0.30 mm
Certified	GS certificate NO. S 60087371
Accessories	
USED BLADE CONTAINER	 NO. 9810
SAFEBOX	 NO. 108000

CONTACT AND SERVICE

What is it that makes our cutting solutions even safer? Our advisory services. We are always there for you and to help you with examples of usage, training material and, of course, in person too.

You can find the following information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the Technical Data Sheet.



Any more questions? You can reach us at our service number.