


SECUNORM PROFI40 MDP
STARTS THERE WHERE OTHERS STOP.

NEW



ENJOY SAFETY
MADE IN SOLINGEN


martor

SECUNORM PROFI40 MDP

NO. 11900771




Original size



Metal detectable

While working, a cutting tool – or parts of it – can sometimes get lost. But only for a short while. The metal detectable plastic and distinctive blue colour ensures you'll find it again fast.



Paint-free

You would like to avoid risks in your job, wherever possible? That's understandable. An unpainted handle minimises the risk of contamination of the production process.



Robust handle

The plastic insert of the SECUNORM PROFI40 MDP is in an aluminium handle. With its robust design, it is predestined for high cutting frequencies and a long life.



Very large cutting depth

The extra large cutting depth is ideal for multi-ply cardboard and bagged goods, and, for example, to cut any type of film. The stainless quality blade is characterised by an extremely low risk of breakage.



Tool-less blade change









Blade changing is quick to work out. Literally. You just need to slide the metal detectable plastic insert out of the handle and replace the old blade with a new one.

Deep cut. High quality. Metal detectable.

Just like the other PROFIs, the SECUNORM PROFI40 MDP is a professional cutting tool. Particularly when it comes to cutting open all different types of sacks. Some cutting tasks demand a decent blade length. The 40 mm blade extension of the robust SECUNORM PROFI40 MDP therefore makes it an excellent choice. It is also paint-free and metal detectable, ideal for industries wanting to avoid foreign objects entering and disrupting their production processes.

PRODUCT FEATURES

Technical features

 High safety	 Metal detectable
 Tool-less blade change	 Very abrasion resistant
 Very ergonomic	 Cutting depth
 For right and left handers	 Stainless

Main cutting materials

 Cardboard: up to 3-ply	 Wrapping, stretch and shrink foil
 Plastic strapping band	 Tape
 Bagged goods	 Foam, polystyrene


Installed blade

	NO. 17940 0.50 mm, 71.2 mm long, stainless
--	---


Certificates and awards



Application



Safety technology



Automatic blade retraction – a high degree of safety







The automatic blade retraction of the SECUNORM PROFI40 MDP guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. Then the blade will retract into the handle immediately after leaving the material being cut.

THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

SECUNORM PROFi40 MDP

- › Very large cutting depth
- › Very abrasion proof thanks to the aluminium
- › Metal detectable plastic
- › Automatic blade retraction
- › GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 11900771.02
Packaging unit	1 in single unit box (10 in multipack)
Knife size (L x W x H)	143 x 17 x 31 mm
Main material	Aluminium
Weight	84.6 g
Cutting depth	36 mm
Spare blade Packaging unit Size (L x W x Thickness)	NO. 17940.60 (10 in transparent pack) 71.2 x 17.7 x 0.50 mm
Certified	GS certificate NO. 180655- 7242-55094-2020
Accessories	
BELT HOLSTER S WITH CLIP	 NO. 9920
HOLSTER SMALL	 NO. 9842
USED BLADE CONTAINER	 NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER	 NO. 9845
SAFEBOX	 NO. 108000
MDP TEST CARD SET	 NO. 9910

CONTACT AND SERVICE

What makes our cutting solutions even safer?
Our advisory services! We are always on hand,
to give advice, to provide you with training ma-
terial, to meet with you in person if necessary.

You will find further information on our website:
www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife.



Everything you want to know: dimensions, prop-
erties, special features and more about our cutting
tools can be found in the technical data sheet.



Still have questions? You can reach our service
department on [+49 212 73870-0](tel:+49212738700)