
SECUNORM 525

CLEAR SHAPE, CLEAR CUT.









Original size



Robust handle

The aluminium handle is already familiar from the SECUNORM PROFI25. The handle and a newly developed plastic insert form a perfect team to ensure that your SECUNORM 525 is equipped to meet even the toughest tasks.



Optimised slider

A firm hold and grip are typical MARTOR characteristics. The SECUNORM 525 is no different. Its slider has a grooved structure and is especially large giving the ideal conditions for comfortable, "hands-on" work – even when wearing gloves.



Safe blade change

The blade change button gives easy access to the blade, which you can now turn or replace. A further practical feature is that the blade cover can be lifted and locked in an open position.




Large cutting depth

The cutting depth is ideal for cardboard, film, strapping bands and much more. But the SECUNORM 525 is not only very versatile, it can also be relied on for high frequency cutting tasks.



Secure hold

For secure fastening, the SECUNORM 525 is equipped with a practical lanyard hole, another reason why it could become a constant companion. You then reduce risks two-fold: the risk of loss and the risk of cutting injuries.



Safety technology



Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM 525 guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. Then the blade will retract into the handle immediately after leaving the material being cut.

A versatile helper - with great qualities. With ceramic blade.

The SECUNORM 525 is a straightforward safety knife in every way. The robust and ergonomic aluminium handle sits firmly and comfortably in the hand. The combination of the durable sharpness of a ceramic blade and a cutting depth of up to 18 mm means the SECUNORM 525 easily manages a variety of cutting materials. An unobstructed view of the blade also particularly enables a precision cut. In every task, the proven automatic blade retraction protects you from cutting injuries.

PRODUCT FEATURES

Technical features



High safety



Tool-less blade change



Very abrasion resistant



Very ergonomic



2-cutting edge blade



Cutting depth



Rounded-tip trapezoid blade



Ceramic



For right and left handers



Lanyard hole



Printable for promotional purposes

Main cutting materials



Cardboard: up to 2-ply



Wrapping, stretch and shrink foil



Plastic strapping band



Foam, polystyrene



PVC



Bagged goods

Installed blade



NO. 60099C 0.65 mm, ceramic, rounded blade tips, deep-edged

Optional blade



NO. 60099 0.63 mm, rounded blade tips, deep-edged

0.63 mm, deep-edged NO. 99 NO. 199

less

0.63 mm, deep-edged, stain-



NO. 98 0.63 mm

Certificates and awards





07.2021 | Printed in Germany | Subject to technical changes.

THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

SECUNORM 525

- > Very abrasion proof thanks to the aluminium
- > Ergonomic handle for left and right handers
- > With ceramic blade
- > Automatic blade retraction
- GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 525001.17	
Packaging unit	1 in single unit box (10 in multipack)	
Knife size (L x W x H)	143 x 17 x 31 mm	
Main material	Aluminium	
Weight	80.4 g	
Cutting depth	18 mm	
Spare blade Packaging unit Size (L x W x Thickness)	NO. 1760099.25 (2 on self-service card) 55.5 x 19 x 0.65 mm	
Certified	GS certificate NO. 179480-7120-55094- 2020	
Accessories		
BELT HOLSTER S WITH CLIP		NO. 9920
HOLSTER SMALL	Ī	NO. 9842
USED BLADE CONTAINER		NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845
SAFEBOX		NO. 108000

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the technical data sheet.



Still have questions? You can reach our service department on +49 212 73870-0